25X1

Approved For Release 2007/12/12 : CIA-RDP83-00418R003300080001-5



Approved For Release 2007/12/12 : CIA-RDP83-00418R003300080001-5

•		IN	FORMATIC	ON REP	ADT `	9.000 NO. D NO. *	PROCES	SSING	COPY	_
		Czechosławaki	1:9	•	•	HE CHIEF	21. Xero	b 195	25X1	
CT		. Count Con	Kis unter Dead	levetion in	Senice, A	o. of mass	5 5	3 41	896	
 DED		2. Uranium Dr	illing in Slov	vakia	¬ N	O. OF ENCLS	.		No.	*
RED OF									•) .
<i>3</i> 1						UPPLEMENT EPORT NO.	ТО		25X1	
								.*	25 X 1	
									,	
HENT OF	ONTAINS I	RFORMATION APPROTING THE II NIG THE BEARING OF THE E FORD. ITS TRANSMISSION OF	ATIONAL DEPENSE	•						
LIVA MENUR	H ANY M	IOLD. ITS TRANSPISSION OF MINER TO AN UNAUTHORIZED ETION OF THIS FORM IS PRO-	PERSON IS PRO-							
						*			25 X 1	
									25X1	
								•	1339	
1	83	lango plantito callel "Karas s sald to be i	oprojekt ^e sus	shurted for a	auly 19 5 4. 3	coment fu	c to nn		1339	r
	r: 63: 63: 63:	-onled "Karas s sald to be i lyberhood as a ment plant, it y be involved.	oprojekt ^e was nvolved. Since no other fast was, supposed	etaited for the lime plant orse point that in fac	auly 1954. I nat in avail to the const t a unanime	coment far able in the ruction of appreciang	e be gyan e e elent	26 R	1330	-
	sc wr us cs vr be vr tr tr tr tr tr tr tr tr tr tr tr tr tr	-onlied "Kerns s said to be a lighborhood as a west plant, it	oprojekt was nvolved. Since no other fast was supposed hich extended nd Salkovo, has on. A sottlene outh of Schies ion have also apacity hev aping station be fed back to cation plant a c read which p addit be repl plant also ine tracks, a new	started in a line plant that in fact some 2, that in fact some 2, that in fact some 2, that is a line fact to be an erector will supply the river and two sluderes of by a necessity in a ced by a necessity in a station at	and in avail to the condi- te a manine to a manine d. A road of tage line of tage line of the marth water from ufter having ge pends. The averses the ew road nor construction	cement fa- able in the ruction of upgrading an earter du a live he ad a tempo brake of the from r presed th e old bans plant area to the so of a shunt	objun (a clant g direct ots na teach (Cylin area ince inc	26 R	1330	
2	scower was considered to the constant of the c	-onlied "Kerner stald to be a lighterhood and ment plant, it y be involved. e plant area, we taken Senica a director construction of a completed as a reference of the projected particle of the abandone's e construction with 1/	oprojekt" was avolved. Timbe no other fast les supposed bich extended and Salkovo, has on. A sottlene outh of Schick ion have also s capacity hev aging station be fed back to cation plant a c road which p add to be repl plan also ince tracks, a new ks near the st eduled for com	sourced in a consisted in factories point that in factories point that in factories had been grade will supply the river and two slud resently in aced by a noluded the costion.	Suly 1954. In available the condition available for an armine de Too and armine de Too and armine de Too and armine de Too and armine de Too a	coment fa- able in the rection of approding an earter du a live hound a tempo trake of trake clant the tron n presed th e old bans plant area to the so	chound a a cland y direct ofs sine vacy (C.C.) area ivac i	26 R		
2	sc wr ne con the control of the cont	-onlied "Kerns as said to be in indicated and went plant, it you involved." e plant area, we taken Senica a day constructed as afformer stated a 10,000 liter a water is to operted purifica — Bream abondone's construction with 12 as with 7 inco plant is son	oprojekt" was avolved. Timbe no other fast les supposed bich extended and Salkovo, has on. A sottlene outh of Schick ion have also s capacity hev aging station be fed back to cation plant a c road which p add to be repl plan also ince tracks, a new ks near the st eduled for com	sourced in a consisted in factories point that in factories point that in factories had been grade will supply the river and two slud resently in aced by a noluded the costion.	Suly 1954. In available the condition available for an armine de Too and armine de Too and armine de Too and armine de Too and armine de Too a	coment fa- able in the rection of approding an earter du a live hound a tempo trake of trake clant the tron n presed th e old bans plant area to the so	chound a a cland y direct ofs sine vacy (C.C.) area ivac i	26 R		
2	scown strain str	-onlied "Kerner stald to be in indicated to be in indicated and what area, we taken Senica a day completed a completed a completed a projected purification with 12 or with 7 frace plant is soluted to among a contraction with 12 or with 7 frace contraction and a contraction and a contraction with 12 or with 7 frace contraction and a contraction and a contraction and a contraction with 12 or with 7 frace contraction and a co	oprojekt was avolved. Since no other fact les supposed bich extended and Salkovo, has on. A sottlene outh of Schies ion have also s capacity hev sping station be fed back to cation plant a c read which p add to be repl ylan also ine tracks, a new ks near the st eduled for com at to 3,000 to clier (fan) wa ith sabotage a s chief of the te convicts cor the 200 hours	sourced in the line plant of the line for the river of the line for the line line line line line line line lin	duly 1954. In available to the condition available to a condition of the condition of the construction of	coment fa- able in the rection of approduing an earterful a ster du a tempo trake of rection of approduing the tempo trake of a plant area to the se of a shunt a fraight tion progre ton of an cone, so-cut	chound a clark clark y direct of sure tase here inso here i	26 R		
2	scown strain str	-onlied "Kerns shall to be in a lighterwood as a ment plant, it y be involved. e glant area, we taken Senica a der construction of a completed a completed paragraph of a water is to operate purities a bion with 1/ or with 7 from o plant is son yeared to among rannel cours of construction was charted when a charted was charted was charted was charted was charted when a cours of construction with 1/ or perted to among rannel cours of construction was charted was charted was charted when a cours of construction of cours of course of cours of course	oprojekt was nvolved. Since no other fast was supposed hich extended nd Salkovo, has on. A sottlene outh of Schies ion have also s capacity hev aging station be fed back to cation plant a c read which p and to be repl plan also inc tracks, a new ke near the st eduled for com nt to 3,000 to oller (fne) va ith sabotage a s chief of the ts including s e convicts you in a 200 hours	sourced in the line plant of the line for the river of the line for the line line line line line line line lin	duly 1954. In available to the condition available to a condition of the condition of the construction of	coment fa- able in the rection of approduing an earterful a ster du a tempo trake of rection of approduing the tempo trake of a plant area to the se of a shunt a fraight tion progre ton of an cone, so-cut	chound a clark clark y direct of sure tase here inso here i	26 R		5X1

MARCHATELY AFTER USE MR <u>33 - 4/8</u>PDOX <u>33</u> Approved For Release 2007/12/12 : CIA-RDP83-00418R003300080001-5

.	Approved For Release 2007/12/12 : CIA-RDP83-00418R003300080001-5	
•	CONFIDENTIAL - 2 -	
	Uranium Drilling Activities	
5.	During the period between July and December 1954, some 15 persons were observed performing drilling work north and northwest of the construction area. Under the supervision of 3 civilian-clad Soviet geologists, exploratory drillings were carried down to depths of between 28 and 60 meters. The work was performed with the help of "Greliusapparate" Geiger counters, electric core drills and hand drills. The cores extracted were shipped out in small wooden boxes by trucks. One of the convicts disclosed that satisfactory drillings had been performed in this area as early as 1952. Drillings were also carried out in the Unerske Hradiste (Ungarisch Hradisch)	25X1
	area and allegedly gave satisfactory results.	25X1
	Comment: The construction of a large cement factory near Banska Bystrica has been confirmed. The projected cableway to the quarry indicates that a cement factory is involved. No indications are available pointing to the	25X1
	construction of a uranium upgrading plant	25X1
		25 X 1

CONFIDENTIAL

CONFIDENTIAL

25X1

		- 3 -			
դուր Շ Հ	Destruction	Status	. Sine		= 0.5
1	Location of Sonic	TO THE STATE OF STATE	B. Frank der Miller Miller Berker betreiten im der der betreiten besonder der der der der der bestehen.	enceres metro con impersiona a mostro de la colonida del colonida de la colonida de la colonida del colonida de la colonida del colonida de la colonida de la colonida del colonida de la colonida de la colonida de la colonida de la colonida del colonida d	LLEGIB
:5	Convict camp	completed			
		•			
	2	man, and a 70 feet by no philips only a contract of the manufacture of the contract of the c			
3		completed			
	civilian workers	•			
	s. Department sto)re			
	b. Central kitche workers home,	m, mess hall,			
	c, 6 dwellings (e	mpty)			
	d. Construction me. Guard house (2	enegament (empt	y)		
	f. Technical and	accounting offi-	ce ce		
	g. Hospital (full	mployees) y equipped.			
	operated b	y a convict phys	sician)		
47.c.	h, Engineering of				
\$	Boiler house	projected	50x25 &		
		•			
est and	олы Син мы ний их бол бый байдайг 1995 г./200 адамиты «класка»	emienskie die ferskriftelijk deel de grochesgregen op 1927 in 1920 van 2	o de Processo de la compansión de la compa		
5	Workshops	projected	n er ir nei ill neithe hannskaars ar mae nei ir galbabyydd		
5	Administration bu	alding projecte	and The second and the second		to.
7	Fire house	completed	100x28		
607H M/TH	enne medaksilir (sin erfekke e min enneputri sistat yalandaksinan oriye), berejek ma	energysal apparquasson saste <mark>n sakson s</mark> egit rissen papis, s	eekee (III) (Constalgijen Bussilan is nooge in all bassilaan		ų.
3	Depot	projected	emakka kuma-usatzakazakazako eta luza auk baketa	the control of the co	730 % 7 (1,000) to
)	Engine house	projected	all and the National State of the State of t	Perioretac টিকার্টার্ম্কের মার্কিকার ও জনান এ ১ এই চাজার্কার - বিভ - শিক্ত জকনা - ক্লাএম প্রস্তুত্বত	Top order so, to
F.0	Main workshop	projected		Daep found those In	
				accommedate ermahere. milla, sorting plant	
See. With	SS (F.) Trouvening (Suite Arthologium ann 1845-1855 F. 517 (2011 AS 1775) ann Ràigh Ann ann Ann am San F	rtici Milar (1967-1971 ilaneado caragado en 18 de 28 de 2	Signatura of the second of the	and washing the ak	®pacerie;
	missing	k Berrine 15 Ann av Nort Nasid miller spennessen sign for 197 stilled cyc.;xx	290 e no 193 Housellande Noordkeelschijverzakkeelsch	akt i millionen klanstöhn i storre och millione skall sisker annie – hydrotte – sportesse – sportesse –	1976a (1986)
1.2	Administration	projected		Three-story colorete	
	building			structure vito numeron	
				- Vi ndews . De lact contodat: - man agomen t, mai	
				administration as well	ن _و ا
MANY 21 -MAN	embler – elleft det 19960), severabere übt in Gunt (Dorder, seklet) den Espelate	er i sakakak Mitabulusurak kumo e mpopojajana yikak popularak saman sambanga	manus des des territoris attendes regidos a retiras (100 ser 100 delentros regido	the militia	ARTHURSON A

CONFIDENTIAL

CONFIT OVERTAL

· 25X1

gr vy	er Destang Mor	Status	S170	Police Delice Delice	r der at to
13 -	Culture house and outpatient departmen	projected t	elle das e mineren ic meradinae	Large three along account	. 3
14	Laboro tory	projected	malati 30 liikki diili tota 1 nii 1000 ".nii, Yolumuu Jagiinsi Liek	Two-story core.co.g.	
15_	Sack filling station	rrojected	o destruction and approximately the second of the second o	Sipple-story ball dire	
16	Silo station	projected	naka disebuah ang samu ang 18 sebagai sa sa sa sa	To consist of 20 mg/ moter high condects and spect note: 1 1 con	en en
17	Freight ar belance	projected		•	
1.3 a.za.	Wator tank	completed	SSET MAY S ERVICES AND SERVICES (SERVICES)	10,000 liter iron tank fed by a lined well gie; 70 liters of water per minute, kater minute settlement and convict care completed.	T. T. T.
19 _	dater task	under cons	truction	The second secon	tottomas, emi-
20	Field transformer station	completed	las haddahar sandar, kere zasa y	Incoming bigh-we tags to free Burska Lynn, icc. Cutgoing three-place 386 Y line to convice core	September 10 C
2)	Cobolway	projected		Allagedly entering in a 12 kiloseters in a northwesterly direction to a quarry in the hills According to a foreign, some 50 trained cuarryne will be transfer ed from Jachymov Allos the ax serving longtons sentent two wooden buildings ire expected to be master in the guarry.	: :3 e
33	Mater purification plant and pumping sta	projected tion		Large single-stay build maker taken iron the fire river will be for beak to the river after saving passed the river against souls	
23	Junction rails	excavating	serk		* sectorities of *
24	House and STP athletic field	completed	EUX60x14	Two-storiod, L-shaped building with exernite cable roof	COMPANY CONTRACTOR

CCHFIDENCIAL

25**X**1

COM IDERTIAL

		- 5 -			
pager	Designation	Status	Size		1988年2月1日・デート
Í.	CTT 1000C	н еви листи, ст емверн ым пологот в темаграфия	maki (Malaka or Luka k. p rk), ja	Still in use 10% of	ig weeken i
Y ,	New road	unds: con	structing	Parador iste i con Parador in ista Direction. The comment Driches date i read	enselective / in 11
(J		completed	e ttent scentalise was diederen het sog ett beste k	enrerate pipes 1 - noises 10 dis 200	er manne av t
[]	Shunting station area			la intra echetales Budle and estition altroistables on	
H	New Salkova radircad	projected	•	Grading work samplesia	
V.	Area for new freight station			Greding work compacts Seres truest obtained Ties, resid of suite;	
Ci	Vinduct	completed	long 42 meters	Contoner of a street of the second	direction and a first section of the sec
					25X1

CCEPIDENTIAL

